Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	31	load adj balanc\$3 same fail\$4 near2 over same node\$1 same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/02/21 17:21
S2	81	load adj balanc\$3 same fail\$4 near2 over same node\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 17:21
S3	50	S2 not S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 17:22
S4	• 13	S3 and @rlad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 17:33
S5	0	cluster same (standy back adj up) adj node\$1 same (unavailable fail adj over) same (re adj rout\$3 redirect)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 17:36
S6	4	cluster same node\$1 same (unavailable fail adj over) same (re adj rout\$3 redirect)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:18
S7	4	10/086782	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:19
S8	0	S7 and service adj requestor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:20
S9	0	S7 and requestor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:19

2/26/07 9:07:05 AM Page 1

						
S10	0	S7 and service near requestor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/02/22 10:20
S11	4	S7 and service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:51
S12	20	using near (IP internet adj protocol) same request\$1 same (cluster server adj node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 12:06
S13	696	(IP internet adj protocol) same request\$1 same (cluster server adj node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 12:07
S14	. 14	S13 same (fail\$4 fail\$3 adj over unavailable) with node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 14:21
S15	2	09/879186	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 15:43
S16	2	"20020042833"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 15:43
S17	. 1	S16 and updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 16:18
S18	3	"20030212705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 10:52
S19	1	10/711952	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 10:53

S20	1	S19 and optical adj component	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 11:22
S21	1	10/984678	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 11:22
S22	0	S21 and (signal wave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 11:23
S23	0	S21 and (transmission adj media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF ⁻	2007/02/23 11:23
S24	1	S21 and computer adj readable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:11
S25	2	"5706506".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:30
S26	275	(use using apply\$3) with (IP internet adj protocol) same request\$3 same service same node\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:32
S27	4	(use using apply\$3) with (IP internet adj protocol) same request\$3 same service same node\$1 same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:39
S28	57	S26 and @rlad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:40
S29		S28 and (failover failure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:34

2/26/07 9:07:05 AM Page 3

S30	2194	(use using apply\$3) with (IP internet adj protocol) same request\$3 same service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:39
S31	25427	S28 ot S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:40
S32	32	S28 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:48
S33	2	"6560216".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ,	2007/02/23 15:52
S34		"20060080598"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 15:52

2/26/07 9:07:05 AM Page 4

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	696	(IP internet adj protocol) same request\$1 same (cluster server adj node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 09:08
L2	82	(IP internet adj protocol) same request\$1 same (cluster server adj node\$1) same fail\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 09:09
L3	16	2 and @rlad<="20010228"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 09:21
L4	2	"6560216".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/26 09:23
L5	0	4 and fail\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 09:23
L6		4 and unavailable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 09:24
L7	0	4 and load\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 09:41
L8	292	(us\$3 use) same (IP internet adj protocol) same (failover failure\$) with node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 09:43
L9	3	(us\$3 use) same (IP internet adj protocol) same (failover failure\$) with node same load near balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 09:45

L10	231	(us\$3 use) same (IP internet adj protocol) same (failover failure\$) with node and (advantag\$5 benefit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 09:47
L11	10	(us\$3 use) same (IP internet adj protocol) same (failover failure\$) with node same (advantag\$5 benefit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 10:54
L12	2	"6430698".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 10:54
L13	0	12 and redirect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 10:54
L14	0	12 and rerout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 11:16
L15	4	10/086782	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 11:17